



GENERAL DRAWING - NON ENCODING UNIT

PLEASE NOTE THAT THIS SELECTOR SYSTEM REQUIRES 110VAC POWER TO OPERATE. DEPENDING ON THE MODEL, ENCODING OR NON ENCODING IT PROVIDES 6 DRY CONTACTS TO CONNECT TO YOUR CONTROLLER. THESE CONTACTS ARE RATED 250 VOLTS AC AT 12 AMP AND 30 VOLTS DC AT 12 AMP. THE RELAY COIL VOLTAGE IS 12 VOLTS DC

PLEASE CONSULT YOUR CONTROLLER PRINT FOR SPECIFIC CONNECTION INFORMATION.

NEMA7 MAGNA-TRACK SELECTOR SYSTEM / CAR SLOW DOWN AND LEVELING WITH NEMA 7 ENCLOSURE

QUANTITY REQUIRED: 1



Customer Check List: (Please check boxes below and sign)

- Fixture Voltage
- Enclosure Size (especially depth)
- Fire Fighters Service Engraving & Key Switch Number (What code is in effect in your area? Need a special key number?)
- Floor Markings
- Run Stop Key Switch (For Passenger Elevators) or Push/Pull Stop Switch (For Freight Elevators)
- Verify Elevator Number, Capacity, along with any additional engraving required.

Please Revise & Resubmit
 No Changes Required Release For Production

Signed By: _____ Date: _____

CURRENT STATUS	OUT FOR APPROVAL
ORIGINAL	00/00/00
REVISION A	00/00/00
REVISION B	00/00/00
REVISION C	00/00/00
REVISION D	00/00/00
APPROVED	00/00/00
DRAWN BY T.SYBERT	

VOLTAGE

NOTE: CUSTOMER TO CONFIRM VOLTAGE TO LEFT & SIGNING BELOW. IF LEFT BLANK, JOB IS CONSIDERED 110VAC

NA

C.J. Anderson & Company
 4751 N. Olcott Avenue
 Harwood Heights, IL 60706-4605
 Phone: 1-800-CJA-1910
 Fax: 1-708-867-5467
 Internet: www.cjanderson.com
 E-mail: sales@cjanderson.com

C.J. ANDERSON & COMPANY - Quality Since 1910

CUSTOMER		MATERIAL USED	
		NEMA 7 - CLASS 1, DIVISION 1 SELECTOR SYSTEM	
SIZE	VOLTAGE	JOB NAME	REV
A	NA		A
SCALE	DATE	SHEET	DRAWING NUMBER
1/4 : 1	06/06/2012	1 OF 1	636-530